

USSN 09/779,901
Amendment Responsive to Office Action of September 23, 2004
November 23, 2004
8494.01P

Amendments to the Specification :

Please amend the passage on page 5, line 16 through page 6, line 12, to read as follows:

- FIG. 1 shows one embodiment of a hanging file folder pocket system with multiple pockets each sharing a common cross-support between adjacent pockets according to the present invention[.] ;
- FIG. 2 shows one embodiment according to the present invention with a single file-supporting member[.] ;
- FIG. 3A shows one embodiment according to the present invention with a non-solid file supporting member[.] ;
- FIG. 3B shows a second embodiment according to the present invention with a non-solid file supporting member;
- FIG. 3C shows a third embodiment according to the present invention with a non-solid file supporting member;
- FIG. 3D shows a fourth embodiment according to the present invention with a non-solid file supporting member;
- FIG. 4 shows one embodiment according to the present invention with multiple file-supporting members[.] ;
- FIG. 5 shows one embodiment according to the present invention with the file-supporting member being formed of the same material as the cross-support[.] ;
- FIG. 5A shows a detail view of a variant of the FIG. 5 embodiment;
- FIG. 6 shows one embodiment according to the present invention of a selected number of pockets presented [for sale] as a single unit;
- FIG. 7 shows one embodiment according to the present invention of individual pockets with two cross-supports formed with multiple file-supporting members[.] ;

BEST AVAILABLE COPY

USSN 09/779,901
Amendment Responsive to Office Action of September 23, 2004
November 23, 2004
8494.01P

- FIG. 8** shows one embodiment according to the present invention [with] supporting a method of removing a file-supporting member from a cross-support and attaching it to the same or another cross-support;
- FIG. 8A** illustrates the tab of the FIG. 8 embodiment in its original, initially continuous and attached orientation;
- FIG. 8B** shows the tab of the FIG. 8 embodiment after it has been removed from the body and inserted through the illustrated slot;
- FIG. 8C** illustrates a separate piece comprising a cross section and two tab assemblies for adding additional pockets to the embodiment of FIG. 8;
- FIG. 8D** shows an embodiment of a tab for use with a ribbon-like file supporting member with a rigid member affixed to the end;
- FIG. 9** shows one embodiment according to the present invention with a method of creating a pocket with variable depth[.] ;
- FIG. 9A** shows a second embodiment similar to FIG. 9 for creating a pocket with variable depth;
- FIG. 9B** shows a third embodiment similar to FIG. 9 for creating a pocket with variable depth;
- FIG. 10** shows one embodiment according to the present invention of a divider which hangs on the lengthwise supports to create multiple, individually identifiable areas in a single pocket ;
- FIG. 11** shows one embodiment according to the present invention with a method of attaching the file-supporting ember to the cross-support with notches, holes or slots[.] ;
- FIG. 11A** shows representative embodiments for attaching file-supporting members to the cross-supports;
- FIG. 12** shows one embodiment according to the present invention with a method of creating a tab of the same material as the file-

USSN 09/779,901
Amendment Responsive to Office Action of September 23, 2004
November 23, 2004
8494.01P

supporting member and rises somewhat vertically above the cross-support[.] ;

FIG. 13 shows one embodiment according to the present invention with a method of creating a tab which is attachable to the cross-support and rises somewhat vertically above the cross-support;

FIG. 14 shows one embodiment according to the present invention wherein one or more manila-type file folders are pre-labeled to correspond to their respective pockets in the hanging file folder pocket system with a method that correlates to the marking on the pocket tab[.] ; and

FIG. 15 shows one embodiment according to the present invention with a method of creating a pocket with non solid sides such as holes or made of web or net or ribbon or string suspended between two lengthwise supports on a supporting member that is not a single bar. --

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.